## **LAW OFFICES** FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

3500 SunTrust Plaza 303 Peachtree Street, N.E. Atlanta, Georgia 30308

Telephone 404-653-6400

**FACSIMILE TRANSMITTAL** 

Facsimile 404-653-6444

**DATE** 

March 13, 2008

TO

Firm:

U.S. Patent and Trademark Office

Fax No.:

571-273-8300

**BPAI HEARINGS** 

Courtsey Copy: 571-273-0299

**FROM** 

Name:

Christopher T. Kent

Phone No.:

404-653-6559

Fax # Verified by: S. R. Horton

# Pages (incl. this):

Confirmation Copy to Follow: No

In re Application of: James B. POPP et al.

Application No. 09/837,228

SUBJECT

Filed: April 19, 2001

For: FIRE SUPPRESSION AND INDICATOR SYSTEM AND FIRE

**DETECTION DEVICE** 

Attorney Docket No. 02100.0071-00

### MESSAGE

CERTIFICATE OF TRANSMISSION UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being transmitted by facsimile to the U.S. Patent and Trademark Office on March 13, 2008.

Christopher T. Kent Reg. No. 48,216

Attachment:

1) Notice of Hearing Confirmation Required Within Twenty-One Days.

cc:

Courtsey Copy to BPAI Hearings Fax No. (571) 273-0299.

If there is a problem with this transmission, notify fax room at (404) 653-6462 or the sender at the number above.

This facsimile is intended only for the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure under applicable law. If you have received this facsimile in error, please notify the sender immediately by telephone (collect), and return the original message by first-class mail to the above address.

# RECEIVED CENTRAL FAX CENTER MAR 1 3 2008



## MAILED

FEB 2 8 2008

U.S. PAYENT AND TRADEMARK OFFICE BOARD OF PATENT APPEALS AND INTERFERENCES

## UNITED STATES PATENT AND TRADESLARK OFFICE

Board of Patent Appeals and Interferences



MAR 03 2008

FINNEGAN, HENDERSON, FARABOW,

GARRETT & DUNNER, LLP

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, LLP 901 NEW YORK AVENUE, N.W. WASHINGTON, DC 20001-4413 Appeal No: 2008-1128

Appellant: James B. Popp et al. Application No: 09/837,228

Hearing Room: A

Hearing Docket: Hearing Date:

Hearing Time: Location: Tuesday, April 15, 2008

09:00 AM

Madison Building - East Wing 600 Dulany Street, 9th Floor \_\_ Alexandria, Virginia 22313-1450

#### NOTICE OF HEARING CONFIRMATION REQUIRED WITHIN TWENTY-ONE DAYS

Your attention is directed to 37 CFR § 41.47. The above identified appeal will be heard by the Board of Patent Appeals and Interferences on the date indicated. Hearings will commence at the time set and as soon as the argument in one appeal is concluded, the succeeding appeal will be taken up. The time allowed for argument is twenty minutes unless additional time is requested and permitted before the argument is commenced. If there are any inquires, please contact the Clerk of the Board at 571-272-9797.

The application involved in this appeal has been published. Accordingly, the hearing in this appeal is open to the public.

CONFIRMATION OR WAIVER OF THE HEARING IS REQUIRED. This form must be completed below and facsimile transmitted to both: (1) the USPTO Central fax number (official copy), and (2) the Board of Patent Appeals and Interferences fax number (courtesy copy) within TWENTY-ONE (21) DAYS from the mailing date of this notice indicating confirmation or waiver of the hearing. A copy of this notice may be alternately filed by mail if facsimile is not available.

BPAI HEARINGS FAX No: (571) 273-0299

USPTO Central Fax No: (571) 273-8300

**BPAJ Mailing Address:** 

Board of Patent Appeals and Interferences United States Patent and Trademark Office

P.O. BOX 1450

Alexandria, Virginia 22313-1450

In all communications relating to this appeal, please identify the appeal by its number.		
PHECK ONE: (X) MEANING ATTERNOANCE CONFI	RMED ( ) HEARING AT	TENDANÇE WAIVED
CHAISTOPHER T KENT	MARCH_13 2008	
Signature of Attorney/Agent/Appellant	Date	48, 216 Registration No.

Names of other visitors expected to accompany counsel:

For information on visitor access to bearing rooms and security procedures at the USPTO Alexandria Campus, acc

http://www.uspte.gov/web/offices/deom/geounsel/contact.btm#bpsi\_contacts